- 2 -

Scrint No.: 08/984,099 Group Art Unit: 1638

In the Claims:

Please amend claims 4, 10, 14, 16, 18, 32 and 47 as follows:

- 1. A DNA sequence comprising as operably joined components in the direction of transcription, a cotton fiber transcriptional initiation region functional in a cotton fiber cell and an open reading frame encoding a protein in a pigment biosynthesis pathway, wherein said transcriptional initiation region is selected from the group consisting of:
 - a. nucleotides 65-4163 of SEQ ID NO: 7, and
 - b. SEQ ID NO: 15.
- 2. The DNA sequence according to Claim 1, further comprising a sequence encoding a transit peptide from a plant nuclear-encoded gene.
- 3. The DNA sequence according to Claim 2, wherein said transit peptide is a plastid transit peptide.
- 4. (three times amended) The DNA sequence according to Claim 1, wherein said DNA sequence further comprises as an operably joined component a sequence encoding [a transit peptide from] a signal peptide which provides for transport across the rough endoplasmic reticulum.
- 5. The DNA sequence according to Claim 4, wherein said DNA sequence further comprises as an operably joined component, 3' to said open reading frame, a sequence encoding a vacuolar targeting signal.
- The DNA sequence of Claim 1 wherein said pigment is melanin or indigo.
- 7. The DNA sequence of Claim 1 wherein said open reading frame is from a bacterial or a plant gene.



- 3 -

Serial No.: 08/984,099 Group Art Unit: 1638

- 8. The DNA sequence of Claim 7 wherein said gene is selected from the group consisting of ORF438, tyrA, anthocyanin R gene, anthocyanin C1 gene, pig, and tna.
- 9. A DNA construct comprising a DNA sequence of Claim 1.
- 10. (three times amended) A DNA construct comprising a first and a second DNA sequence according to Claim 1, wherein the open reading frame of said first DNA sequence encodes a different [gene] <u>protein</u> than the open reading frame of said second DNA sequence.
- 12. A plant cell comprising the DNA construct of Claim 9.
- 13. A plant comprising the cell of Claim 12.
- 14. (four times amended) A method of modifying fiber [phenotype] <u>color</u> in a cotton plant, said method comprising:

transforming a plant cell with a DNA construct comprising a DNA sequence comprising i) a sequence selected from the group consisting of SEQ ID NO:15 and nucleotides 65-4163 of SEQ ID NO:7, and ii) an open reading frame encoding a protein selected from the group consisting of tyrosinase, tryptophanase and indole oxygenase [the DNA construct according to Claim 9 or 10]; and

regenerating a plant comprising fiber tissue from said plant cell, wherein said fiber tissue comprises a substrate of said protein [in a pigment biosynthesis pathway], and wherein said protein reacts with said substrate to produce [said] a pigment, whereby the [phenotype] color of said fiber is modified.

15. The method of Claim 14 wherein said DNA construct further comprises a sequence encoding a transit peptide from a plant nuclear-encoded gene.



- 4 -

Serial No.: 08/984,099 Group Art Unit: 1638

- 16. (three times amended) The method of Claim 14 wherein said DNA construct further comprises a sequence encoding a [transit peptide, which encodes a] signal peptide which provides for transport across the rough endoplasmic reticulum.
- 18. (three times amended) The method of Claim 16 wherein said plant cell is further transformed with a second DNA construct according to Claim 9 or 10 and wherein the open reading frame of the DNA sequence from the first DNA construct encodes a different [gene] protein than the open reading frame of the second DNA construct.
- 19. The method of Claim 18 wherein said pigment is melanin and said proteins are encoded by tyrA and ORF438.
- 20. The method of Claim 18 wherein said pigment is indigo and said proteins are encoded by tha and pig.
- 21. The method of Claim 18 wherein said pigment is anthocyanin and said two proteins are the anthocyanin R and C1 proteins.
- 22. The method of Claim 14 wherein said fiber tissue is obtained from a cotton burr.
- 23. A recombinant DNA construct comprising nucleotides 65 4163 of SEQ ID NO: 7.
- 24. A recombinant DNA construct comprising SEQ ID NO: 15.
- 25. An isolated DNA sequence comprising the sequence shown in SEQ ID NO: 1.
- 26. An isolated DNA sequence comprising the sequence shown in SEQ ID NO: 12.

- 5 -

Serial No.: 08/984,099 Group Art Unit: 1638

- 28. The DNA sequence according to Claim 1, wherein said transcriptional initiation region is obtained by probing a genomic library derived from a plant fiber tissue.
- 30. The DNA sequence according to Claim 59, further comprising a sequence encoding a transit peptide from a plant nuclear-encoded gene.
- 7 31. The DNA sequence according to Claim 30, wherein said transit peptide is a plastid transit peptide.
 - 32. (twice amended) The DNA sequence according to Claim 59, further comprising a sequence encoding a [transit] <u>signal</u> peptide which provides for transport across the rough endoplasmic reticulum.
 - 33. The DNA sequence according to Claim 32, wherein said sequence further comprises, 3' to said open reading frame, a sequence encoding a vacuolar targeting signal.
 - 34. The DNA sequence of Claim 57 wherein said open reading frame is from a bacterial gene.
 - 35. The DNA sequence of Claim 34 wherein said bacterial gene is selected from the group consisting of ORF438, tyrA, pig and tna.
 - 36. A DNA construct comprising the DNA sequence of Claim 59.
 - 37. The DNA construct of Claim 36 wherein said cotton plant cell is a cotton fiber cell.
 - 38. A plant cell comprising the DNA construct of Claim 36.
 - 39. A plant comprising the plant cell of Claim 38.

- 6 -

Serial No.: 08/984,099 Group Art Unit: 1638

- 42. The DNA sequence according to Claim 59 wherein said transcriptional initiation region is obtained by probing a genomic library derived from a plant fiber tissue.
- 44. A DNA sequence comprising as operably joined components in the direction of transcription, a transcriptional initiation region functional in a cotton plant cell and an open reading frame encoding an enzyme in a biosynthetic pathway of melanin or indigo, wherein said transcriptional initiation region is selected from the group consisting of:
 - a. nucleotides 65-4163 of SEQ ID NO: 7, and
 - b. SEQ ID NO: 15.
- 45. The DNA sequence according to Claim 44, further comprising a sequence encoding a transit peptide from a plant nuclear-encoded gene.
- 46. The DNA sequence according to Claim 45, wherein said transit peptide is a plastid transit peptide.
- 47. (twice amended) The DNA sequence according to Claim 44, further comprising a sequence encoding a <u>signal [transit]</u> peptide which provides for transport across the rough endoplasmic reticulum.
- 48. The DNA sequence according to Claim 47, wherein said sequence further comprises, 3' to said open reading frame, a sequence encoding vacuolar targeting signal.
- 49. The DNA sequence of Claim 44 wherein said open reading frame is from a bacterial gene.
- 50. The DNA sequence of Claim 49 wherein said bacterial gene is selected from the group consisting of ORF438, tyrΛ, pig, and tna.

-7-

Serial No.: 08/984,099 Group Art Unit: 1638

- 51. The DNA construct comprising the DNA sequence of Claim 44.
- 52. The DNA construct of Claim 51 wherein said cotton plant cell is a cotton fiber cell.
- 53. A plant cell comprising the DNA construct of Claim 51.
- 54. A plant comprising the plant cell of Claim 53.
- 55. The DNA sequence according to Claim 44 wherein said transcriptional initiation region is obtained by probing a genomic library derived from a plant fiber tissue.
- 57. A DNA sequence comprising as operably joined components in the direction of transcription, a transcriptional initiation region functional in a cotton fiber cell and an open reading frame encoding an enzyme in the biosynthetic pathway of a pigment, wherein said transcriptional initiation region is selected from the group consisting of:
 - a. nucleotides 65-4163 of SEQ ID NO: 7, and
 - b. SEQ ID NO: 15.
- 59. A DNA sequence comprising a transcriptional initiation region functional in a cotton plant cell, wherein said transcriptional initiation region is selected from the group consisting of:
 - a. nucleotides 65-4163 of SEQ ID NO: 7, and
 - b. SEQ ID NO: 15.
- 61. A recombinant DNA construct comprising nucleotides 57 4155 of SEQ 1D NO:

11.

65. An isolated DNA sequence comprising nucleotides 65 – 4163 of SEQ ID NO: 7.